



**LERNAPHARM**

# **Specialized in the Development and the Production of Antiseptics and Disinfectants**

● **Over A Quarter Century Of Service**

● **International Presence**

**PHARMACEUTICAL  
MANUFACTURING**



**Promoting  
Health And Wellness**





## LORIS™ I.V. Pro Antiseptic Sponges-TINTED- 4 Sponges

Product Code : 116-12

### Features

- Broad-spectrum antiseptic
- Long-lasting antimicrobial activity
- Fast acting antiseptic
- Tinted solution
- Easy to use
- Latex- Free
- Air dries quickly
- Single use
- Surgical use
- Infection control



### How To Use

Open the package and remove one sponge. Apply the sponge to the procedure site; use repeated back and forth strokes for at least 30 seconds (dry sites) or 2 minutes (moist sites). Select another sponge as necessary. Allow the solution to air dry completely (minimum of 3 minutes on hairless skin). Product is single use. Discard all packaging, including any unused sponges, once opened. Do not use on patients with known allergies to chlorhexidine or isopropyl alcohol.



2323 Halpern  
St-Laurent (Montreal)  
Quebec, Canada, H4S 1S3

Tel: + 514-331-4634  
Toll-Free: 1-866-322-4634  
Fax: + 514-331-5488  
info@lernapharm.com  
www.lernapharm.com





## LORIS™ I.V. Pro Antiseptic Sponges-TINTED- 4 Sponges

Product Code : 116-12

### Minimal Acceptance Criteria for Antiseptics Microbial Limit Test

Test	USP Nonsterile Dosage Forms (Cutaneous Use)	Lernapharm finished product
Total Aerobic Microbial Count (TAMC)	≤100 cfu / mL	<10 cfu / mL
Total Combined Yeast and Molds Count (TYMC)	≤10 cfu / mL	<2 cfu / mL
Staphylococcus aureus detection	Absent	Absent
Pseudomonas aeruginosa detection	Absent	Absent
B. Cepacia	Not specified	Absent

### Packaging Information

Product	Quantity	Size (L,W,H)	Weight
Sponge 	-	40 mm x 40 mm x 40 mm	
Pouch 	4 x Sponge per Pouch	180 mm x 133 mm x 4 mm	